

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Patent No. .... 7009842B2  
Patent Issue Date ..... March 7, 2006  
Application Serial No. .... 10769543  
Filing Date ..... January 30, 2004  
Assignee ..... Isothermal Systems Research, Inc.  
Inventorship ..... Tilton, Donald E.  
Attorney's Docket No. .... IS9-020  
Title:..... Three Dimensional Packaging and Cooling of Mixed Signal, Mixed  
Power Density Electronic Modules

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT  
FOR PTO MISTAKE (37 C.F.R. 1.322(a))**

To: Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450  
ATTN: Decision and Certificate of Correction  
Branch of the Patent Issue Division  
  
From: Mark W. Hendricksen (Tel. 509-624-4276; Fax 509-838-3424)  
Wells St. John P.S.  
601 W. First Avenue, Suite 1300  
Spokane, WA 99201-3828

Sir/Madam:

It is hereby requested that a Certificate of Correction be issued with respect to Patent No. 7009842B2, granted March 7, 2006, in accordance with the Certificate of Correction Form PTO-1050 attached hereto.


The error(s) listed on the Certificate of Correction form were apparently incurred through the fault of the PTO as will be disclosed by the records of files in the Office.

Since this Certificate of Correction is being requested due to PTO errors, it is believed that no fee is due. However, in the event that a fee is

required for issuance of this Certificate of Correction, please charge the fee specified under 37 C.F.R. § 1.20(a) to Deposit Account No. 23-0925. Please credit Deposit Account No. 23-0925 with any overpayment of the above fee.

Respectfully submitted,

Dated: 3-21-08

By:   
Mark W. Hendricksen  
Reg. No. 32356

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7009842B2

APPLICATION NO.: 10769543

DATED : March 7, 2006

INVENTOR(S) : Tilton, Donald E.; Tilton, Charles L.

It is certified that an error or errors appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 3, line 46

Please replace "or; used in the art"

With- - or used in the art- -

Column 4, line 52

Please replace "and others types"

With- - and other types- -

Column 11, claim 7, line 38

Please replace "first signal. shield."

With- - first signal shield.- -

**Mailing Address of Sender:**

Mark W. Hendricksen  
Wells St. John P.S.  
601 West First Avenue, Suite 1300  
Spokane, WA 99201-3828